

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	(queue\$6 or buffer\$3) with overload\$3 with diff\$8 with two with (queue\$6 or buffer\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/05/25 13:06
L2	58	overload\$3 with (diff\$8 with (queue\$6 or buffer\$3))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/05/25 13:06
L3	6	overload\$3 with (diff\$8 with (queue\$6 or buffer\$3)) and (map\$4 or remap\$4 or chang\$3 or mov\$3) with (diff\$8 or another or other) with (queue\$6 or buffer\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/05/25 13:10
L4	4726	(diff\$8 with (queue\$6 or buffer\$3)) and (map\$4 or remap\$4 or chang\$3 or mov\$3) with (diff\$8 or another or other) with (queue\$6 or buffer\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/05/25 13:10
L5	4684	(diff\$8 with (queue\$6 or buffer\$3)) with (map\$4 or remap\$4 or chang\$3 or mov\$3) with (diff\$8 or another or other) with (queue\$6 or buffer\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/05/25 13:11
L6	140	(diff\$8 with load\$3 with (queue\$6 or buffer\$3)) with (map\$4 or remap\$4 or chang\$3 or mov\$3) with (diff\$8 or another or other) with (queue\$6 or buffer\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/05/25 13:11
L7	2	overload\$3 with (queue\$6 or buffer\$3) and (diff\$8 with load\$3 with (queue\$6 or buffer\$3)) with (map\$4 or remap\$4 or chang\$3 or mov\$3) with (diff\$8 or another or other) with (queue\$6 or buffer\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/05/25 13:12
L8	2	overload\$3 with (queue\$6 or buffer\$3) and (diff\$8 with load\$3 with (queue\$6 or buffer\$3)) same (map\$4 or remap\$4 or chang\$3 or mov\$3) with (diff\$8 or another or other) with (queue\$6 or buffer\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/05/25 13:13
L9	2	overload\$3 with (queue\$6 or buffer\$3) and (diff\$8 with load\$3 with (queue\$6 or buffer\$3)) same (map\$4 or remap\$4 or chang\$3 or mov\$3) with (diff\$8 or another or other) with (queue\$6 or buffer\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/05/25 13:13

EAST Search History

L10	5	"370"/\$.ccls. and (diff\$8 with load\$3 with (queue\$6 or buffer\$3)) same (map\$4 or remap\$4 or chang\$3 or mov\$3) with (diff\$8 or another or other) with (queue\$6 or buffer\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/05/25 13:16
L11	540	"370"/\$.ccls. and (map\$4 or remap\$4 or chang\$3 or mov\$3) with (diff\$8 or another or other) with (queue\$6 or buffer\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/05/25 13:16
L12	2	"370"/\$.ccls. and (map\$4 or remap\$4 or chang\$3 or mov\$3) with (diff\$8 or another or other) with (queue\$6 or buffer\$3) with overload\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/05/25 13:16
L13	11	"370"/\$.ccls. and (map\$4 or remap\$4 or chang\$3 or mov\$3) with (diff\$8 or another or other) with (queue\$6 or buffer\$3) with (congest\$3 or overload\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/05/25 13:21
L14	19	"370"/\$.ccls. and (map\$4 or remap\$4 or chang\$3 or mov\$3) with (diff\$8 or another or other) with (queue\$6 or buffer\$3) same (congest\$3 or overload\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/05/25 13:28
L15	23	"370"/\$.ccls. and (map\$4 or remap\$4 or chang\$3 or mov\$3) with (diff\$8 or another or other) with (queue\$6 or buffer\$3) same (overflow\$3 or overload\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/05/25 13:40
L16	42	(overload\$3 or overflow\$3) with (map\$4 or remap\$4 or chang\$3 or mov\$3) with (diff\$8 or another or other) with (queue\$6 or buffer\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/05/25 13:46
L17	72	(overload\$3 or overflow\$3) same (map\$4 or remap\$4 or chang\$3 or mov\$3) with (diff\$8 or another or other) with (queue\$6 or buffer\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/05/25 13:59
L18	2074	(overload\$3 or overflow\$3) same (plac\$3 or map\$4 or remap\$4 or chang\$3 or mov\$3) with (queue\$6 or buffer\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/05/25 13:59
L19	1045	(overload\$3 or overflow\$3) with (plac\$3 or map\$4 or remap\$4 or chang\$3 or mov\$3) with (queue\$6 or buffer\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/05/25 14:00

EAST Search History

L20	264	"370"/\$.ccls. and (overload\$3 or overflow\$3) with (plac\$3 or map\$4 or remap\$4 or chang\$3 or mov\$3) with (queu\$6 or buffer\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/05/25 14:00
L21	52	"370"/\$.ccls. and (overload\$3 or overflow\$3) with (plac\$3 or map\$4 or remap\$4 or chang\$3 or mov\$3) with (diff\$8 or another or other or high\$3 or low\$3 or next or below) with (queu\$6 or buffer\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/05/25 14:11
L22	328	(overload\$3 or overflow\$3) with (buffer\$3 or queu\$6) same (plac\$3 or map\$4 or remap\$4 or chang\$3 or mov\$3) with (diff\$8 or another or other or high\$3 or low\$3 or next or below) with (queu\$6 or buffer\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/05/25 14:20
L23	12	22 and forward\$3 with priority	USPAT; EPO; IBM_TDB	OR	ON	2006/05/25 14:13
L25	11	22 and priority and aggregat\$3	USPAT; EPO; IBM_TDB	OR	ON	2006/05/25 14:13
L26	193	(overload\$3 or overflow\$3) with (buffer\$3 or queu\$6) with (plac\$3 or map\$4 or remap\$4 or chang\$3 or mov\$3) with (diff\$8 or another or other or high\$3 or low\$3 or next or below) with (queu\$6 or buffer\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/05/25 14:21
L28	24	26 and compar\$3 with threshold	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/05/25 14:22